

ZIRKOL-C Plus D/HF/1,5m 840

Installation :

Project number :

Customer :

Processed by :

Date : 19.03.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object : ZIRKOL-C Plus D/HF/1,5m 840
Installation :
Project number :
Date : 19.03.2020

1 Luminaire data

1.1 NEMO Studio, ZIRKOL-C Plus D/HF/1,5m 840 (ZZRC0315G15N__)

1.1.1 Data sheet

Manufacturer: NEMO Studio

ZZRC0315G15N__ ZIRKOL-C Plus D/HF/1,5m 840


Luminaire data

Luminaire efficacy : 100.53 lm/W
Classification : A20 ↓99.8% ↑0.2%
CIE Flux Codes : 30 59 87 100 106
UGR 4H 8H : 22.8 / 23.0
Power : 96 W

Equipped with

Quantity : 1
Designation : Source
Colour : 4000
Luminous flux : 9651 lm
Colour reproduction : 85


Dimensions : Ø1500 mm



Object : ZIRKOL-C Plus D/HF/1,5m
Installation : 340
Project number :
Date : 19.03.2020

1.1 NEMO Studio, ZIRKOL-C Plus D/HF/1,5m 840 (ZZRC0315G15N__)

1.1.2 LDC




Manufacturer : NEMO Studio
Order number : ZZRC0315G15N__
Luminaire name : ZIRKOL-C Plus D/HF/1,5m 840
Equipment : 1 x Source 96 W / 9651 lm
Dimensions : D 1500 mm x H 0.0 mm
File name : ZZRC0315G15N__.LDT

Luminaire efficacy : 100.53 lm/W (A20)
Light distribution : sym. to C0-C180 / C90-C270
Beam Angle : 162.2° C0-C180
163.5° C90-C270

Object : ZIRKOL-C Plus D/HF/1,5m
Installation : 340
Project number :
Date : 19.03.2020

1.1 NEMO Studio, ZIRKOL-C Plus D/HF/1,5m 840 (BZRC0315G15N__)

1.1.3 Cone diagram



Note: The illuminance is calculated with $I(\gamma=0)$!

Manufacturer	: NEMO Studio	Luminaire efficacy	: 100.53 lm/W (A20)
Order number	: ZZRC0315G15N__	Light distribution	: sym. to C0-C180 / C90-C270
Luminaire name	: ZIRKOL-C Plus D/HF/1,5m 840	Beam Angle	: 162.2° C0-C180
Equipment	: 1 x Source 96 W / 9651 lm		: 163.5° C90-C270
Dimensions	: D 1500 mm x H 0.0 mm		
File name	: ZZRC0315G15N__.LDT		