

ZIRKOL-L Plus B/HF/1m/830

Installation :

Project number :

Customer :

Processed by :

Date : 24.03.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object : ZIRKOL-L Plus B/HF/1m/830
Installation :
Project number :
Date : 24.03.2020

1 Luminaire data

1.1 NEMO Studio, ZIRKOL-L Plus B/HF/1m/830 (ZZRL1410G15WNE)

1.1.1 Data sheet

Manufacturer: NEMO Studio

ZZRL1410G15WNE ZIRKOL-L Plus B/HF/1m/830


Luminaire data

Luminaire efficacy : 106.91 lm/W
Classification : B43 ↓61.0% ↑39.0%
CIE Flux Codes : 45 76 94 61 88
UGR 4H 8H : 24.3 / 27.4
Power : 36 W

Equipped with


Quantity : 1
Designation : Source
Colour : 3090 K
Luminous flux : 3849 lm
Colour reproduction : 83

Dimensions : 1050 mm x 25 mm x 50 mm



1.1 NEMO Studio, ZIRKOL-L Plus B/HF/1m/830

(ZZRL1410G15WNE) 1.1.2 LDC



Manufacturer : NEMO Studio
 Order number : ZZRL1410G15WNE
 Luminaire name : ZIRKOL-L Plus B/HF/1m/830
 Equipment : 1 x Source 36 W / 3849 lm
 Dimensions : L 1050 mm x W 25 mm x H 50 mm
 File name : ZZRL1410G15WNE.LDT

Luminaire efficacy : 106.91 lm/W (B43)
 Light distribution : sym. to C0-C180 / C90-C270
 Beam Angle : -- C0-C180
 -- C90-C270