

FLEX CEILING WW ZOOM - NARROW

Installation :

Project number :

Customer :

Processed by :

Date : 20.03.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object : FLEX CEILING WW ZOOM - NARROW
Installation :
Project number :
Date : 20.03.2020

1 Luminaire data

1.1 NEMO Studio, FLEX CEILING WW - ZOOM na... (BFLE0401921WAN)

1.1.1 Data sheet

Manufacturer: NEMO Studio

BFLE0401921WAN

FLEX CEILING WW - ZOOM narrow


Luminaire data

Luminaire efficacy : 6.5 lm/W
Classification : A80 ↓98.9% ↑1.1%
CIE Flux Codes : 98 98 99 99 109
UGR 4H 8H : <10.0 / <10.0
Power : 4.2 W

Equipped with


Quantity : 1
Designation : Source
Colour : 3000 K
Luminous flux : 27 lm
Colour reproduction : 93

Dimensions : Ø33 mm x 107 mm



1.1 NEMO Studio, FLEX CEILING WW - ZOOM na... (BFLE0401921WAN)

1.1.2 LDC



Manufacturer : NEMO Studio
 Order number : BFLE0401921WAN
 Luminaire name : FLEX CEILING WW - ZOOM narrow
 Equipment : 1 x Source 4.2 W / 27 lm
 Dimensions : D 33 mm x H 107 mm
 File name : BFLE0401921WAN - narrow.LDT

Luminaire efficacy : 6.5 lm/W (A80)
 Light distribution : rotationally symmetric
 Beam Angle : -- C0-C180