

NEMO

Luminaire

Code PNM LWW 12 oc
Name Panama Mini on charge


Measurement

Code pm112021
Name Panama Mini on charge

Luminaire Flux	402 lm	Luminaire Power	11.0 W	Efficacy	36.521 lm/W	Efficiency	97.74%
Source Flux	411 lm	Maximum value	444.79 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	194 mm	Height	22 mm		
Round Luminous Area		Diam.	190 mm	Height	1 mm		
Horizontal Luminous Area		0.028353 m2		Emitting area on Plane 180°		0.000190 m2	
Emitting area on Plane 0°		0.000190 m2		Emitting area on Plane 270°		0.000190 m2	
Emitting area on Plane 90°		0.000190 m2		Glare area at 76°		0.007044 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		27-01-2000		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		411 lm	
Operator				Rated Voltage			
Temperature				Rated Current			
Humidity				Photocell			
Notes							

Luminaire Sources						
Line		Code	Name	Flux [lm]	Pow. [W]	Q.ty
		Led	Led	411.00	11.00	1
C.I.E.	55 87 98 100 98		D DIN 5040	A40		
F UTE	0.98 D		B NBN	BZ 3		

Diam=194mm



C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 97.74 %

RN 0.00 %

