

NEMO

Luminaire


Code KEP LWW 52
Name Kepler Downlight 83W

Measurement

Code KD112022
Name Kepler Downlight 83W

Luminaire Flux	4800 lm	Luminaire Power	83.0 W	Efficacy	57.831 lm/W	Efficiency	100.00%
Source Flux	4800 lm	Maximum value	221.85 cd/klm	Position	C=270.00 G=18.00	CG	Asymmetrical
Round Luminaire		Diam.	1100 mm	Height	400 mm		
Round Luminous Area		Diam.	1100 mm	Height	350 mm		
Horizontal Luminous Area		0.950332 m2		Emitting area on Plane 180°		0.385000 m2	
Emitting area on Plane 0°		0.385000 m2		Emitting area on Plane 270°		0.385000 m2	
Emitting area on Plane 90°		0.385000 m2		Glare area at 76°		0.603470 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		27-01-2000		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		4800 lm	
Operator				Rated Voltage			
Temperature				Rated Current			
Humidity				Photocell			
Notes							

Luminaire Sources						
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
	LED	LED	4800.00	83.00	1	
C.I.E.	36 64 85 86 100	D DIN 5040	B21			
F UTE	0.86 H + 0.14 T	B NBN	BZ 6			



ULOR 14.05 %
DLOR 85.95 %
RN 14.05 %

