

# NEMO

## Luminaire

Code LOG KNN 31  
Name Logo Halo 150W

## Measurerm.

Code LOH032019  
Name Logo Halo 150W

Luminaire Flux	1378.03 lm	Luminaire Power	150.00 W	Efficacy	9.19 lm/W	Efficiency	62.64%
Lamps Flux	2200.00 lm	Maximum value	221.07 cd/klm	Position	C=75.00 G=5.00	CG	Double Symmetrical
Rectangular Luminaire		Length	255 mm	Width	55 mm	Height	35 mm
Rectangular Luminous Area		Length	144 mm	Width	43 mm	Height	0 mm
Horizontal Luminous Area		0.006192 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001498 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		27-01-2000		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		2200.00 lm	
Operator				Source Voltage [V]		230.00 V	
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line		Code	Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		R7s QT-DE Halo	Name		2200.00	150.00	1
			R7s QT-DE Halo				
C.I.E.	49 83 97 100 63		D DIN 5040		A30		
F UTE	0.63 E		B NBN		BZ 4		

